

AD-A048 683

FOREIGN TECHNOLOGY DIV WRIGHT-PATTERSON AFB OHIO

F/G 13/9

DIE FOR HOT DEFORMING, (U)

JUL 77 S Z FIGLIN, V V BOYTISOV, T V LEVCHENKO

UNCLASSIFIED

FTD-ID(RS)T-1205-77

NL

| OF |
AD
A048683



END
DATE
FILMED
2-78
DDC

AD A048683

FILE COPY

① ✓

FTD-ID(RS)T-1205-77



FOREIGN TECHNOLOGY DIVISION




DIE FOR HOT DEFORMING

by

S. Z. Figlin, V. V. Boytsov,
T. V. Levchenko



Approved for public release;
distribution unlimited.



EDITED TRANSLATION14 FTD-ID(RS)T-1205-7711 28 Jul 1977128p.

MICROFICHE NR:

FTD-77-C-000914

6 DIE FOR HOT DEFORMING,By: 10 S. Z./Figlin, V. V./Boytsov, T. V./Levchenko

English pages: 3

21 Edited trans. of

Source USSR Patent 315499

p1-2, 1 Oct 71, by

Country of origin:

Translated by: Bernard L. Tauber.

Requester: ASD/ETID

Approved for public release; distribution unlimited

ACCESSION	
NTIS	<input checked="" type="checkbox"/>
DDC	<input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	SPECIAL
<u>A</u>	

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:

TRANSLATION DIVISION
FOREIGN TECHNOLOGY DIVISION
WP-AFB, OHIO.

FTD

ID(RS)T-1205-77

Date 28 July 19 77

141600

1473
Junc

U. S. BOARD ON GEOGRAPHIC NAMES transliteration SYSTEM

Block	Italic	Transliteration	Block	Italic	Transliteration
А а	<i>А а</i>	A, a	Р р	<i>Р р</i>	R, r
Б б	<i>Б б</i>	B, b	С с	<i>С с</i>	S, s
В в	<i>В в</i>	V, v	Т т	<i>Т т</i>	T, t
Г г	<i>Г г</i>	G, g	У у	<i>У у</i>	U, u
Д д	<i>Д д</i>	D, d	Ф ф	<i>Ф ф</i>	F, f
Е е	<i>Е е</i>	Ye, ye; E, e*	Х х	<i>Х х</i>	Kh, kh
Ж ж	<i>Ж ж</i>	Zh, zh	Ц ц	<i>Ц ц</i>	Ts, ts
З з	<i>З з</i>	Z, z	Ч ч	<i>Ч ч</i>	Ch, ch
И и	<i>И и</i>	I, i	Ш ш	<i>Ш ш</i>	Sh, sh
Й й	<i>Й й</i>	Y, y	Щ щ	<i>Щ щ</i>	Shch, shch
К к	<i>К к</i>	K, k	Ъ ъ	<i>Ъ ъ</i>	"
Л л	<i>Л л</i>	L, l	Ы ы	<i>Ы ы</i>	Y, y
М м	<i>М м</i>	M, m	Ь ь	<i>Ь ь</i>	'
Н н	<i>Н н</i>	N, n	Э э	<i>Э э</i>	E, e
О о	<i>О о</i>	O, o	Ю ю	<i>Ю ю</i>	Yu, yu
П п	<i>П п</i>	P, p	Я я	<i>Я я</i>	Ya, ya

*ye initially, after vowels, and after Ъ, ь; e elsewhere.
 When written as *ë* in Russian, transliterate as *yë* or *ë*.
 The use of diacritical marks is preferred, but such marks may be omitted when expediency dictates.

GREEK ALPHABET

Alpha	Α α	Nu	Ν ν
Beta	Β β	Xi	Ξ ξ
Gamma	Γ γ	Omicron	Ο ο
Delta	Δ δ	Pi	Π π
Epsilon	Ε ε	Rho	Ρ ρ
Zeta	Ζ ζ	Sigma	Σ σ
Eta	Η η	Tau	Τ τ
Theta	Θ θ	Upsilon	Υ υ
Iota	Ι ι	Phi	Φ φ
Kappa	Κ κ	Chi	Χ χ
Lambda	Λ λ	Psi	Ψ ψ
Mu	Μ μ	Omega	Ω ω

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English
sin	sin
cos	cos
tg	tan
ctg	cot
sec	sec
cosec	csc
sh	sinh
ch	cosh
th	tanh
cth	coth
sch	sech
csch	csch
arc sin	\sin^{-1}
arc cos	\cos^{-1}
arc tg	\tan^{-1}
arc ctg	\cot^{-1}
arc sec	\sec^{-1}
arc cosec	\csc^{-1}
arc sh	\sinh^{-1}
arc ch	\cosh^{-1}
arc th	\tanh^{-1}
arc cth	\coth^{-1}
arc sch	sech^{-1}
arc csch	csch^{-1}

rot	curl
lg	log

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

DIE FOR HOT DEFORMING

S. Z. Figlin, V. V. Boytsov, and T. V. Levchenko

The invention can be used for stamping low-plastic alloys.

Dies are known for the hot deforming of metals which are equipped with thermal insulation protection made in the form of housings which are fastened on an upper movable element and a lower stationary plate. The shortcomings of such dies are their comparatively low efficiency and the impossibility of heating them for the stamping of parts from low-plastic alloys to higher temperatures.

→ The purpose of the invention is to provide the opportunity to raise the heating temperature of the die and article, to increase the heating efficiency, and improve the operating conditions. This is attained by the fact that in the proposed die the upper movable housing tightly enters the stationary housing with the possibility of forward motion in it and a window is made for the loading and unloading of the blank in the stationary cover.

The drawing portrays a cross section of the described die.

The die 1 with the part 2 and punch 3 are fastened respectively to the stationary die holder 4 and the movable punch holder


5 which, in turn, are connected through the thermal insulation 6 and 7 with the lower 8 and upper 9 bearing plates.

The die is equipped with thermal insulation protection which is made in the form of two housings, a lower stationary 10 and upper movable 11 housings, in which regard the housing 11 tightly enters the housing 10 with the possibility for forward motion in it, and a window 12 is made in the housing 10 for loading and unloading the blanks. Heating is accomplished, for example, using inductors 13.

In the reverse stroke of the punch holder 5 the housing 11 does not emerge beyond the limits of the housing 10, thereby forming a closed cavity for heating and stamping.

Subject of invention

→ A die for the hot deforming of metals ~~which is~~ equipped with thermal insulation protection ~~made~~ in the form of housings fastened to an upper movable element and a lower stationary plate ^{It} ~~which is~~ distinguished by the fact that to ensure the possibility of raising the temperature of the die and the article being stamped, ^{of} increase ^{ing} the heating efficiency, and ^{ing} improve ^{ing} operating conditions, a housing which is fastened on the upper movable element enters ~~tightly~~ into a housing which is fastened on a stationary plate with ~~the possibility for forward motion in it,~~ and a window is made in the stationary housing for loading and unloading blanks. ↙



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
FTD-ID(RS)T-1205-77		
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
DIE FOR HOT DEFORMING		Translation
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
S. Z. Figlin, V. V. Boytsov, T. V. Levchenko		
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Foreign Technology Division Air Force Systems Command U. S. Air Force		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
		1 Oct 1971
		13. NUMBER OF PAGES
		3
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)
		UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

DISTRIBUTION DIRECT TO RECIPIENT

FTD-ID(RS) T-1205-77